



Only MerCruiser
Protects
You To The **CORE.**



MerCruiser
SEACORE
system

mercruiseraseacore.com



*Introducing The World's
Premier Saltwater System.*

MerCruiser.
SEACORE
system

Unmatched Corrosion Protection. Unequaled Performance.

Saltwater can take its toll on marine propulsion systems. This is why the **SeaCore™ System** from MerCruiser® offers more than just improved corrosion resistance. It's as close as a marine propulsion system can come to being corrosion-proof.

In developing the revolutionary **SeaCore System**, we've moved the entire industry forward in a way that makes other saltwater engines and drives seem instantly inferior. Rather than just enclosing the drive components in a plastic shell, we protect them all the way to the core with industrial hardcoat anodizing, a closed-cooling system and widespread use of stainless steel components. All of which makes for the ultimate in corrosion protection.

PERFORMANCE RUNS DEEP
mercruiserseacore.com

Corrosion Protection



- Industrial hardcoat anodized XK-360 aluminum alloy for Bravo® running gear
- MerCathode® active corrosion protection
- Closed-cooling system with five-year long-life coolant seals engine from saltwater
- SeaCore stainless steel package

Better Warranty



- **Four-year** factory limited warranty* (three-year limited warranty for noncertified installations)
- **Four-year** limited warranty against corrosion failure*

Lower Maintenance



- 100/300-hour maintenance intervals
- Air-actuated raw-water drain
- Easy oil drain system
- Freshwater flush system – fish-friendly because no harmful chemicals used



Unbeatable Strength, Corrosion Resistance and Durability.

MerCruiser sterndrives are legendary for their unequalled strength. Now with the **SeaCore System**, MerCruiser extends that legendary strength to corrosion resistance.

The heart of the corrosion-resistant strength of the SeaCore System is its hardcoat anodizing of the drive alloy. This process actually changes the molecular structure of the XK-360 aluminum alloy, creating a shield against the ravages of galvanic corrosion. Hardcoat anodizing is also more abrasion resistant than case-hardened steel, but if the drive is scratched, the anodizing slows the destructive growth of corrosion through the drive surface.

Corrosion can also affect more than just the drive. The SeaCore System provides comprehensive corrosion protection for the engine as well with standard features like closed-cooling and a stainless steel package. The end benefit for you is a four-year limited warranty for SeaCore Systems purchased from an Installation Quality Certified Manufacturer for unbeatable saltwater durability.







Hardcoat anodizing slows the destructive growth of corrosion

Performance Features

	4.3 MPI	5.0 MPI	350 MAG MPI	MX 6.2 MPI*	496 MAG	496 MAG HO*
Power	220 hp (183 kW)	260 hp (194 kW)	300 hp (224 kW)	320 hp (239 kW)	375 hp (280 kW)	425 hp (317 kW)
Displacement	262 CID (4.3L)	305 CID (5.0L)	350 CID (5.7L)	377 CID (6.2L)	496 CID (8.1L)	496 CID (8.1L)
Engine Type	V-6	V-8	V-8	V-8	V-8	V-8
Fuel Requirement	87 Octane (R+M)/2	87 Octane (R+M)/2	87 Octane (R+M)/2	87 Octane (R+M)/2	87 Octane (R+M)/2	87 Octane (R+M)/2
Drive Options	Bravo One® Bravo Two® Bravo Three®	Bravo One Bravo Two Bravo Three	Bravo One Bravo Two Bravo Three	Bravo One Bravo Two Bravo Three	Bravo One, X Bravo Two, X Bravo Three, X, XR	Bravo One X™ Bravo Two X® Bravo Three X®, XR
DTS Digital Throttle & Shift	N/A	Optional	Optional	Optional	Optional	Optional

Standard Features

Corrosion Protection	Low-Maintenance Features	Advanced Technology	MerCruiser Warranty (With Gas Engine Packages)
<ul style="list-style-type: none"> Industrial Hardcoat Anodized XK-360 Aluminum Alloy for Bravo Running Gear MerCathode SeaCore Stainless Steel Package Closed-Cooling System Dry-Joint Exhaust System Ceramic-Coated or Stainless Steel Exhaust Elbows 	<ul style="list-style-type: none"> Air-Actuated Water Drain System Engine-Mounted Freshwater Flush System Easy Oil Drain and Remote Oil System 100/300-Hour Maintenance Intervals 	<ul style="list-style-type: none"> Optional DTS Antifeedback Power Steering Power Trim XD Drive Lube Monitoring System Engine Guardian System 	<ul style="list-style-type: none"> 4-Year Standard Limited Warranty* (3-Year for Noncertified Installation) 4-Year Corrosion Limited Warranty* 

Cummins MerCruiser Diesel

EPA Tier 2 Features	QSD2.8	QSD4.2
<ul style="list-style-type: none"> Low Noise and Vibration for Smoother Operation State-of-the-Art Turbocharger, Aftercooler and Direct-Injection System for Maximum Engine Efficiency Compact Lightweight Designs for Improved Top Speeds and Performance 	SeaCore Drive Options Bravo One Diesel X Bravo Two Diesel X Bravo Three Diesel X	

